





### LONG SEAT

12

1C •

Comfortable seating that leaves you energised, ready to take on anything, even after long rides.

## STREET-TECH DIGITAL METER

Boldly set out in confidence, with an innovative display that shares all the relevant information like service due indicator, the Side Stand Indicator with Engine Cut Off^ and gear position indicator.

🤾 🗊 🛞 N 🔿

#### **DUAL PETAL DISC BRAKES WITH ABS** 276mm front and 220mm rear disc brakes with Anti-Lock Braking System (ABS) that give superior control and heightened steering ability, even when braking hard.

**ENGINE STOP SWITCH** Turn off the engine more conveniently with a flick of the switch. LOW MAINTENANCE SEAL CHAIN Low maintenance and longer life.

HAZARD SWITCH Announce your presence especially in low visibility conditions.





# **TECHNICAL SPECIFICATIONS<sup>†</sup>**

BODY	- DIW	IENG	IUVIC
0001		LING	10113

	DODT DIMENSIONS	
	Length	2013 mm
	Width	786 mm
	Height	1115 mm
	Wheel Base	1347 mm
	Ground Clearance	160 mm
	Kerb Weight	Single Disc - 143 Kg, Double Disc - 144 Kg
	Seat Length	582 mm
	Seat Height	795 mm
J	Fuel Tank Capacity	12 L
1	ENGINE	
2	Туре	4 Stroke, SI, BS-VI Engine
9	Displacement	162.71 cc
3	Max Engine Output	10.2 kW @ 8000 rpm
4	MaxTorque	14.7 N-m @ 5500 rpm
٦	Fuel System	PGM-FI
	Bore x Stroke (mm)	57.300 x 63.096
I	Compression Ratio	10.0:1
J	Starting Method	Self/Kick
	TRANSMISSION	
5	Clutch Type	Multiplate Wet Clutch
	No. of Gears	5 Gears
	TYRES & BRAKES	
	Tyre Size & Type (Front)	80/100-17 M/C 46P (Tubeless)
9	Tyre Size & Type (Rear)	130/70-17 M/C 62P (Tubeless)
	Brake Type & Size (Front)	Disc - 276 mm (Single Channel ABS)
	Brake Type & Size (Rear)	Drum - 130 mm, Disc - 220 mm
	FRAME & SUSPENSION	
l	Frame Type	Diamond Type
3	Front Suspension	Telescopic
l	Rear Suspension	Hydraulic, Monoshock
	ELECTRICALS	
	Battery	12V, 4.0 Ah
	Headlamp	LED

Witness Transition

trainer safe. 7

•<sup>+</sup>The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • New X Blade mee Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • All features may not be part of all variants • \*Figures as per internal testing • ^The Side Stand Indicator with Engine Cut Off adds to the safety of the rider, indicating when the stand is down and cutting off the ignition if the vehicle is put in gear in this situation

PORTS RED

#### Honda Motorcycle and Scooter India Pvt. Ltd.

AVAILABLE AVAILABLE COLOURS

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana), India Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

STRONTIUM SILVER METALLIC

**Dealer Stamp Kaizen Honda** Sangli Road Ichalkaranji Tel: 8888062020 Mob:

MATTE STEEL BLACK NETALLIC

MATTE MARVEL BLUE METALLIC